SDS Revision Date:

1/1/17

1. Identification			
1.1. Product identifier			
Product Identity	Magnum Pre-Spotter & Degreaser		
Alternate Names	Magnum Pre-Spotter & Degreaser, Proprietary formula: Code: ADS MPSDG		
1.2. Relevant identified uses of the substance or mixed	ure and uses advised against		
Intended use	Pre-treatment of carpeting for stain removal		
Application Method	See Technical Data Sheet.		
1.3. Details of the supplier of the safety data sheet			
Company Name	Alliance Distributors & Services, LLC		
	182 Sycamore Drive		
	East Stroudsburg, PA 18301. USA		
Emergency			
24 hour Emergency Telephone No.	Transportation Emergency: 800-932-2173		
Customer Service: Alliance Distributors & Services, LLC	Product Information: 800-932-2173		

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Irrit. 2;H315	Causes skin irritation.
Eye Irrit. 2;H319	Causes serious eye irritation.
STOT RE 2;H373	May cause damage to organs through prolonged or repeated exposure. Specific Target Organs: (kidneys)

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



H315 Causes skin irritation.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

SDS Revision Date:

1/1/17

[Prevention]:

P260 Do not breathe mist / vapors / spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P314 Get Medical advice / attention if you feel unwell.

P321 Specific treatment (see information on this label).

P332+313 If skin irritation occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P362 Take off contaminated clothing and wash before reuse.

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Disodium metasilicate CAS Number: 0006834-92-0	1 - 5	Skin Corr. 1B;H314 STOT SE 3;H335	[1]
Isopropyl Alcohol CAS Number: 0000067-63-0	1 - 5	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336	[1][2]
Ethylene glycol CAS Number: 0000107-21-1	1 - 5	Acute Tox. 4;H302 STOT RE 2;H373	[1][2]
OCTOXYNOL 9 CAS Number: 0068412-54-4	1 - 5	Skin Irrit. 2;H315 Eye Irrit. 2;H319	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

SDS Revision Date:	1/1/17
General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Silicone defoamer emulsion. Keep out of eyes and off of skin.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	Dilute by giving large amount of milk or water. Get medical attention immediately. Do not induce vomiting.
4.2. Most important syn	nptoms and effects, both acute and delayed
Overview	Effects of chronic overexposure: Eyes: None. Skin: Can cause irritation from repeated exposure. Inhalation: Mists may be irritating to breathing passages. Ingestion: Not a likely source of chronic exposure. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.
	Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.
Eyes	Causes serious eye irritation.
Skin	Causes skin irritation.

5. Fire-fighting measures

5.1. Extinguishing media

Use media appropriate for surrounding area.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: oxides of carbon if burned.

Do not breathe mist / vapors / spray.

5.3. Advice for fire-fighters

None

ERG Guide No. ----

SDS Revision Date:

1/1/17

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Small amounts may be flushed to drain. Comply with federal, state and local regulations on reporting spills. Floors may be slippery.

Keep out of waterways and storm sewers.

7. Handling and storage

7.1. Precautions for safe handling

Carpet pre-spotting solution concentrate. Keep out of eyes and off of skin.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Use standard industrial good practices.

Wipe up spills immediately as they may be slippery.

Incompatible materials: No data available.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000067-63-0	Isopropyl Alcohol	OSHA	TWA 400 ppm (980 mg/m3)STEL 500 ppm
		ACGIH	TWA: 200 ppm STEL: 400 ppm Revised 2003,
		NIOSH	TWA 400 ppm (980 mg/m3) ST 500 ppm (1225 mg/m3)
		Supplier	No Established Limit
0000107-21-1	Ethylene glycol	OSHA	No Established Limit
			TWA: 10 mg/m3 (Particulate) Ceiling: 100 mg/m3 (Aerosol) 50 ppm (Vapor)STEL: 20 mg/m3 (Particulate)
		NIOSH	no established RELs

SDS Revision Date:

1/1/17

		Supplier	No Established Limit
0006834-92-0	Disodium metasilicate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
	Supplier	ACHAN TLV/OSHA 2mg/m ³ PEL 2mg/m ³	
0068412-54-4	OCTOXYNOL 9	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000067-63-0	Isopropyl Alcohol	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;
0000107-21-1	Ethylene glycol	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0006834-92-0	Disodium metasilicate	OSHA Select Carcinogen: No	
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0068412-54-4	OCTOXYNOL 9	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory	None normally required. If risk of inhalation occurs, select and use equipment according to OSHA/NIOSH guidelines for nuisance mists.
Eyes	Safety glasses or goggles should be worn if there is possibility of eye contact.
Skin	Impermeable gloves such as rubber, PVC or neoprene are recommended.
Engineering Controls	A well ventilated work environment is recommended. Local exhaust not usually needed.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance		
Odor		
Odor threshold		

Lt. Blue Not measured Not determined

SDS Revision Date:

1/1/17

рН	pH Reaction: Alkaline
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	Not Measured
Flash Point	None
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured
	Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	Not Measured
Vapor Density	Not Measured
Specific Gravity	> 1
Solubility in Water	100%
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured
VOC Content	None
%phosphorus	< 2%
Reproductive implications	None
Ingredients on cancer lists	None
9.2. Other information	
No other relevant information.	

10. Stability and reactivity

10.1. Reactivity Hazardous Polymerization will not occur. 10.2. Chemical stability Stable under normal circumstances. 10.3. Possibility of hazardous reactions No data available. 10.4. Conditions to avoid No data available. 10.5. Incompatible materials No data available. 10.6. Hazardous decomposition products Oxides of carbon if burned.

SDS Revision Date:

1/1/17

11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Disodium metasilicate - (6834-92-0)	1,153.00, Rat -	No data	No data	No data	No data
	Category: 4	available	available	available	available
Isopropyl Alcohol - (67-63-0)	4,710.00, Rat -	12,800.00, Rat -	72.60, Rat -	No data	No data
	Category: 5	Category: NA	Category: NA	available	available
Ethylene glycol - (107-21-1)	4,700.00, Rat - Category: 5	10,626.00, Rabbit - Category: NA	No data available	No data available	No data available
OCTOXYNOL 9 - (68412-54-4)	4,000.00, Rat -	No data	No data	No data	No data
	Category: 5	available	available	available	available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure	2	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard		Not Applicable

SDS Revision Date:

1/1/17

12. Ecological information

12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Disodium metasilicate - (6834-92-0)	210.00, Danio rerio	33.53, Ceriodaphnia dubia	400.00 (72 hr), Pseudokirchneriella subcapitata
Isopropyl Alcohol - (67-63-0)	1,400.00, Lepomis macrochirus	100.00, Daphnia magna	100.00 (72 hr), Scenedesmus subspicatus
Ethylene glycol - (107-21-1)	8,050.00, Pimephales promelas	100.00, Crangon crangon	6,500.00 (96 hr), Selenastrum capricornutum
OCTOXYNOL 9 - (68412-54-4)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

Not provided.

15. Regulatory information

1/1/17

 Regulatory Overview
 The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

 Toxic Substance
 All components of this material are either listed or exempt from listing on the TSCA Inventory.

 WHMIS Classification
 D2B

 US EPA Tier II Hazards
 Fire: No

 Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes

Delayed (Chronic): Yes

EPCRA 311/312 Chemicals and RQs (lbs):

Ethylene glycol (5,000.00)

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Ethylene glycol

SDS Revision Date:

Isopropyl Alcohol

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

Ethylene glycol

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Ethylene glycol

Isopropyl Alcohol

Pennsylvania RTK Substances (>1%):

Ethylene glycol

Isopropyl Alcohol

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

SDS Revision Date:

1/1/17

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness and dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

Disclaimer: Information presented herein has been compiled from sources considered to be accurate and reliable, but is not guaranteed to be so. Since conditions of use are beyond our control we make no warranties, expressed or implied.

End of Document