SDS Revision Date: 01/11/2017

1. Identification

1.1. Product identifier

Product Identity Quick Dry Bonnet Shampoo

Alternate Names Quick Dry Bonnet Shampoo

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Heavy duty. Helps clean carpet and upholstery.

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Alliance Distributors & Services, LLC

182 Sycamore Drive

East Stroudsburg, PA 18301. USA

Product Information: 800-932-2173

Emergency

CHEMTREC (USA) (800) 424-9300

24 hour Emergency Telephone No. Transportation Emergency: 800-932-2173

Customer Service: Alliance Distributors & Services,

LLC

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Eye Irrit. 2;H319 Causes serious eye irritation.

2.2. Label elements



H319 Causes serious eye irritation.

[Prevention]:

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P337+313 If eye irritation persists: Get medical advice / attention.

SDS Revision Date: 01/11/2017

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Isopropyl alcohol CAS Number: 0000067-63-0	1 - 5	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336	[1][2]
Poly(Oxy-1,2-Ethanediyl), A-Butyl-Ω-Hydroxy-CAS Number: 0009004-77-7	1 - 5	Eye Dam. 1;H318	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview Effects of chronic overexposure:

Eyes: Can cause irritation if not treated immediately.

Skin: Can cause irritation from extended or repeated contact.

Inhalation: Mists may be irritating.

Ingestion: Not a likely source of chronic exposure.

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular

weakness, drowsiness and in extreme cases, loss of consciousness.

^[1] Substance classified with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.

^{*}The full texts of the phrases are shown in Section 16.

SDS Revision Date: 01/11/2017

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

Eyes Causes serious eye irritation.

5. Fire-fighting measures

5.1. Extinguishing media

Use equipment appropriate to the main cause of the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

5.3. Advice for fire-fighters

None

ERG Guide No. ---

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Small amounts may be flushed to drain. Comply with federal, state and local regulations on reporting spills. Floors may be slippery.

7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Small amounts may be flushed to drain. Comply with federal, state and local regulations on reporting spills. Floors may be slippery.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

SDS Revision Date: 01/11/2017

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value		
0000067-63-0	0067-63-0 Isopropyl alcohol		000067-63-0 Isopropyl alcohol		TWA 400 ppm (980 mg/m3) STEL 500 ppm
		ACGIH	TWA: 200 ppm STEL: 400 ppm Revised 2003,		
		NIOSH	TWA 400 ppm (980 mg/m3) ST 500 ppm (1225 mg/m3)		
	Supplier	No Established Limit			
0009004-77-7 Poly(Oxy-1,2-Ethanediyl), A-Butyl-Ω-		OSHA	No Established Limit		
Hydroxy-	ACGIH	No Established Limit			
		NIOSH	No Established Limit		
		Supplier	No Established Limit		

8.2. Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must use the

appropriate, certified respirators.

Eyes Wear safety goggles to protect against eye contact. See OSHA 29 CFR 1910.33

Skin Wear chemical impervious gloves. Wear protective clothing to minimize skin contact. Wash

skin after use. Wash contaminated clothing and dry before reuse.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

9. Physical and chemical properties

Appearance Colorless to light straw. Liquid

Odor Fresh "outdoorsy"
Odor threshold Not determined
pH Slightly alkaline

Melting point / freezing pointNDInitial boiling point and boiling rangeND

Flash Point (cc): None
Evaporation rate (Ether = 1)
Plammability (solid, gas)
Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Available

Upper Explosive Limit: Not Available

Vapor pressure (Pa) ND

SDS Revision Date: 01/11/2017

Vapor Density Not Available

Specific Gravity > 1
Solubility in Water 100%

Partition coefficient n-octanol/water (Log Kow)Not MeasuredAuto-ignition temperatureNot AvailableDecomposition temperatureNot AvailableViscosity (cSt)Not Available

VOC Content 38 g/l

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Mixing with caustics or reducing agents.

10.5. Incompatible materials

Small amounts may be flushed to drain. Comply with federal, state and local regulations on reporting spills. Floors may be slippery.

10.6. Hazardous decomposition products

No hazardous decomposition data available.

11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

SDS Revision Date:

01/11/2017

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Isopropyl alcohol - (67-63-0)	4,710.00, Rat - Category: 5	12,800.00, Rat - Category: NA	72.60, Rat - Category: NA	No data available	No data available
Poly(Oxy-1,2-Ethanediyl), A-Butyl-Ω-Hydroxy (9004-77-7)	No data available	No data available	No data available	No data available	No data available

Carcinogen Data

CAS No.	Ingredient	Source	Value		
0000067-63-0	Isopropyl alcohol	OSHA	Select Carcinogen: No		
			Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;		
0009004-77-7	Poly(Oxy-1,2-Ethanediyl), A-Butyl-	OSHA	Select Carcinogen: No		
Ω-Hydroxy-	Ω-Hydroxy-	NTP	Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,	
	mg/l	mg/l	mg/l	
Isopropyl alcohol - (67-63-0)	1,400.00, Lepomis macrochirus	100.00, Daphnia magna	100.00 (72 hr), Scenedesmus subspicatus	

01/11/2017 **SDS Revision Date:**

Poly(Oxy-1,2-Ethanediyl), A-Butyl-Ω-Hydroxy- - (9004-Not Available Not Available Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA **Transportation**) Transportation) 14.1. UN number Not Regulated Not Applicable Not Regulated 14.2. UN proper shipping Not Regulated Not Regulated Not Regulated

name

14.4. Packing group

14.3. Transport hazard class(es)

DOT Hazard Class: Not

Applicable

IMDG: Not Applicable

Sub Class: Not Applicable Not Applicable

Not Applicable Not Applicable

Air Class: Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No;

14.6. Special precautions for user

No further information

15. Regulatory information

SDS Revision Date: 01/11/2017

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

WHMIS Classification D2B

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Isopropyl alcohol

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Isopropyl alcohol

Pennsylvania RTK Substances (>1%):

Isopropyl alcohol

SDS Revision Date: 01/11/2017

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

Disclaimer: Information presented herein has been compiled from sources considered to be accurate and reliable, but is not guaranteed to be so. Since conditions of use are beyond our control we make no warranties, expressed or implied.

End of Document